


IN THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:


Claim 1 (currently amended): A 5,11-Dihydrodiaryl[b,e][1,4]oxazepine derivatives represented by the following general formula [I], stereoisomers a stereoisomer thereof, a pharmacologically acceptable salts salt thereof, and hydrates or solvates a hydrate thereof, or a solvate thereof:



wherein rings G, J and K each represent benzene ring or a nitrogen-containing aromatic ring; R¹ to R⁸ each of R¹, R², R³, R⁴, R⁵, R⁶, R⁷, and R⁸ may be the same or different from one another and they each represent a halogen atom or hydrogen atom, R⁹ to R¹³ each of R⁹, R¹⁰, R¹¹, R¹², and R¹³ may be the same or different from one another and they each represent a

hydrogen atom, a halogen atom, cyano group, hydroxyl group, a lower alkyl group, a lower alkoxy group, amino group or a lower alkylamino group or a lower acylated derivative of such a group, a lower dialkylamino group or a cycloalkylamino group, or R^9 and R^{10} or R^{10} and R^{11} together form $-O(CH_2)_nO-$ group wherein n is 1, 2 or 3; A represents CH_2 , $CHOH$, CO or O ; B represents CH_2 , $CHOH$ or CO ; or A-B represents $CH=CH$, D represents CH_2 , CH_2-CH_2 or $CH_2-CH_2-CH_2$ or B-D represents CH_2 ; X and Z are bonded together to form CH_2-CH_2 or $CH_2-CH_2-CH_2$ and, in this case, Y represents a hydrogen atom; or Y and Z are bonded together to form $CH_2-CH_2-CH_2$ or $CH_2-CH_2-CH_2-CH_2$ and, in this case, X represents a hydrogen atom; and when X and Z, and Y and Z are not bonded together, X and Y each represent a hydrogen atom and Z represents a lower alkyl group;

provided that when any of $R^9, R^{10}, R^{11}, R^{12}$, and R^{13} represents a cyclic amino group of the following formula [E], each of $R^1, R^2, R^3, R^4, R^5, R^6, R^7$, and R^8 may be a halogen atom or hydrogen atom but when none of $R^9, R^{10}, R^{11}, R^{12}$, and R^{13} is a cyclic amino group of formula [E], one or two of $R^1, R^2, R^3, R^4, R^5, R^6, R^7$, and R^8 represent a halogen atom and the others represent a hydrogen atom:



wherein n and m each represent 1 or 2, and W represents carbon atom, or nitrogen which may be substituted with a lower alkyl group, or oxygen, or sulfur atom.

Claim 2 (currently amended): The 5,11-dihydrodiaryl[b,e][1,4]oxazepine, ~~derivatives, stereoisomers~~ stereoisomer thereof, pharmacologically acceptable ~~salts~~ salt thereof, or ~~hydrates~~ hydrate thereof according to claim 1 wherein rings G and J are both benzene rings.

Claim 3 (currently amended): The 5,11-dihydrodiaryl[b,e][1,4]oxazepine, ~~derivatives, stereoisomers~~ stereoisomer thereof, pharmacologically acceptable ~~salts~~ salt thereof, or ~~hydrates~~ hydrate thereof according to claim 1 wherein either ring G or J is pyridine ring and the other is benzene ring.

Claim 4 (currently amended): The 5,11-dihydrodiaryl[b,e][1,4]oxazepine, ~~derivatives, stereoisomers~~ stereoisomer thereof, pharmacologically acceptable ~~salts~~ salt thereof, or ~~hydrates~~ hydrate thereof according to any one of claims 1 to 3 wherein ring K is benzene ring.

Claim 5 (currently amended): The 5,11-dihydrodiaryl[b,e][1,4]oxazepine, ~~derivatives, stereoisomers~~ stereoisomer thereof, pharmacologically acceptable ~~salts~~ salt thereof, or ~~hydrates~~ hydrate thereof according to any one of claims 1 to 3 wherein ring K is pyridine ring, pyrimidine ring, pyrazine ring or pyridazine ring.

Claim 6 (currently amended): The 5,11-dihydrodiaryl[b,e][1,4]oxazepine, ~~derivatives, stereoisomers~~ stereoisomer thereof, pharmacologically acceptable ~~salts~~ salt thereof, or ~~hydrates~~ hydrate thereof according to claim 1 wherein rings G, J and K are benzene rings.

Claim 7 (currently amended): The 5,11-dihydrodiaryl[b,e][1,4]oxazepine, ~~derivatives, stereoisomers~~ stereoisomer thereof, pharmacologically acceptable salts salt thereof, or ~~hydrates~~ hydrate thereof according to ~~any of claims 1 to 6~~ claim 1, wherein X and Z are bonded together to form CH₂-CH₂ or CH₂-CH₂-CH₂ and Y represents a hydrogen atom.

Claim 8 (currently amended): The 5,11-dihydrodiaryl[b,e][1,4]oxazepine, ~~derivatives, stereoisomers~~ stereoisomer thereof, pharmacologically acceptable salts salt thereof, or ~~hydrates~~ hydrate thereof according to ~~any of claims 1 to 6~~ claim 1, wherein Y and Z are bonded together to form CH₂-CH₂-CH₂ or CH₂-CH₂-CH₂-CH₂ and X represents a hydrogen atom.

Claim 9 (currently amended): The 5,11-dihydrodiaryl[b,e][1,4]oxazepine, ~~derivatives, stereoisomers~~ stereoisomer thereof, pharmacologically acceptable salts salt thereof, or ~~hydrates~~ hydrate thereof according to ~~any of claims 1 to 6~~ claim 1, wherein X and Y are each a hydrogen atom and Z represents a lower alkyl group.

Claim 10 (currently amended): The 5,11-dihydrodiaryl[b,e][1,4]oxazepine, ~~derivatives, stereoisomers~~ stereoisomer thereof, pharmacologically acceptable salts salt thereof, or ~~hydrates~~ hydrate thereof according to ~~any of claims 1 to 9~~ claim 1, wherein either or both of R¹⁰ and R¹¹ are methoxyl group or R¹⁰ and R¹¹ together form methylenedioxy group, and R⁹, R¹² and R¹³ are each a hydrogen atom.

Claim 11 (currently amended): The 5,11-dihydrodiaryl[b,e][1,4]oxazepine, ~~derivatives, stereoisomers~~ stereoisomer thereof, pharmacologically acceptable salts salt

thereof, or ~~hydrates~~ hydrate thereof according to ~~any of claims 1 to 9~~ claim 1, wherein R¹¹ is methoxyl group, and R⁹, R¹⁰, R¹² and R¹³ are each a hydrogen atom.

Claim 12 (currently amended): The 5,11-dihydrodiaryl[b,e][1,4]oxazepine, ~~derivatives, stereoisomers~~ stereoisomer thereof, pharmacologically acceptable salts salt thereof, or ~~hydrates~~ hydrate thereof according to ~~any of claims 1 to 9~~ claim 1, wherein either R¹⁰ or R¹¹ is amino group, a lower alkylamino group, a lower acylated derivative of such a group, a lower dialkylamino group or a cycloalkylamino group, and the other is a hydrogen atom.

Claim 13 (currently amended): The 5,11-dihydrodiaryl[b,e][1,4]oxazepine, ~~derivatives, stereoisomers~~ stereoisomer thereof, pharmacologically acceptable salts salt thereof, or ~~hydrates~~ hydrate thereof according to ~~any of claims 1 to 9~~ claim 1, wherein either R¹⁰ or R¹¹ is a cyclic amino group represented by formula [E] and the other is a hydrogen atom.

Claim 14 (currently amended): The 5,11-dihydrodiaryl[b,e][1,4]oxazepine, ~~derivatives, stereoisomers~~ stereoisomer thereof, pharmacologically acceptable salts salt thereof, or ~~hydrates~~ hydrate thereof according to claim 13 wherein all of R¹ to R⁸ are a hydrogen atom.

Claim 15 (currently amended): The 5,11-dihydrodiaryl[b,e][1,4]oxazepine, ~~derivatives, stereoisomers~~ stereoisomer thereof, pharmacologically acceptable salts salt thereof, or ~~hydrates~~ hydrate thereof according to ~~any of claims 1 to 13~~ claim 1, wherein one

of ~~R¹ to R⁸~~ R¹, R², R³, R⁴, R⁵, R⁶, R⁷, and R⁸ is fluorine atom or chlorine atom and the other is a hydrogen atom.

Claim 16 (currently amended): The 5,11-dihydrodiaryl[b,e][1,4]oxazepine, ~~derivatives, stereoisomers~~ stereoisomer thereof, pharmacologically acceptable salts salt thereof, or ~~hydrates~~ hydrate thereof according to ~~any of claims 1 to 13~~ claim 1, wherein one of R², R³, R⁶ and R⁷ is fluorine atom or chlorine atom and others are each a hydrogen atom.

Claim 17 (currently amended): The 5,11-dihydrodiaryl[b,e][1,4]oxazepine, ~~derivatives, stereoisomers~~ stereoisomer thereof, pharmacologically acceptable salts salt thereof, or ~~hydrates~~ hydrate thereof according to ~~any of claims 1 to 16~~ claim 1, wherein A and B-D are both CH₂.

Claim 18 (currently amended): The 5,11-dihydrodiaryl[b,e][1,4]oxazepine ~~derivatives~~, pharmacologically acceptable salts salt thereof, or ~~hydrates~~ hydrate thereof according to claim 7 wherein the carbon atom to which X is bonded has an absolute configuration of R.

Claim 19 (currently amended): The 5,11-dihydrodiaryl[b,e][1,4]oxazepine ~~derivatives~~, pharmacologically acceptable salts salt thereof, or ~~hydrates~~ hydrate thereof according to claim 7 wherein the carbon atom to which X is bonded has an absolute configuration of S.

Claim 20 (currently amended): The 5,11-dihydrodiaryl[b,e][1,4]oxazepine ~~derivatives~~, pharmacologically acceptable salts salt thereof, or ~~hydrates~~ hydrate thereof

according to claim 8 wherein the carbon atom to which Y is bonded has an absolute configuration of R.

Claim 21 (currently amended): The 5,11-dihydrodiaryl[b,e][1,4]oxazepine ~~derivatives~~, pharmacologically acceptable salts salt thereof, or ~~hydrates~~ hydrate thereof according to claim 8 wherein the carbon atom to which Y is bonded has an absolute configuration of S.

Claim 22 (currently amended): A pharmaceutical composition, which comprises ~~containing any of~~ at least one 5,11-dihydrodiaryl[b,e][1,4]oxazepine ~~derivatives~~, ~~stereoisomers~~ stereoisomer thereof, pharmacologically acceptable salts salt thereof, ~~and hydrates or hydrate~~ thereof according to ~~any of claims 1 to 5 and 7 to 21 as the active ingredient~~ claim 1 and at least one pharmaceutically acceptable carrier.


Claim 23 (currently amended): A pharmaceutical composition, which comprises ~~containing any of~~ at least one 5,11-dihydrodiaryl[b,e][1,4]oxazepine ~~derivatives~~, ~~stereoisomers~~ stereoisomer thereof, pharmacologically acceptable salts salt thereof, ~~and hydrates or hydrate~~ thereof according to claim 6 ~~as the active ingredient~~ and at least one pharmaceutically acceptable carrier.

Claim 24 (currently amended): A ~~pharmaceutical composition~~ method for treating or ~~preventing a functional diseases~~ disease of ~~the digestive traets tract~~, ~~containing any said~~ method comprising administering an effective amount of a 5,11-dihydrodiaryl[b,e][1,4]oxazepine ~~derivatives~~, ~~stereoisomers~~ a stereoisomer thereof, a

pharmacologically acceptable salts salt thereof and ~~hydrates~~ or a hydrate thereof according to ~~any of claims 1 to 21 as the active ingredient~~ claim 1 to a subject in need thereof.

Claim 25 (currently amended): The ~~pharmaceutical composition for treating or preventing the diseases~~ method according to claim 24, wherein the said functional ~~diseases~~ disease of the digestive ~~tracts are diseases~~ tract is a disease of gastrointestinal motor ~~functions~~ function.


Claim 26 (withdrawn-currently amended): A 5,11-Dihydrodiaryl[b,e][1,4]oxazepine ~~derivatives~~ represented by the following ~~general~~ formula [XV], a stereoisomer ~~stereoisomers~~ thereof, ~~and salts~~ or a salt thereof:



wherein rings G, J and K each represent benzene ring or a nitrogen-containing aromatic ring; ~~R¹ to R⁸~~ each of R¹, R², R³, R⁴, R⁵, R⁶, R⁷, and R⁸ may be the same or different from one another and they each represent a halogen atom or a hydrogen atom, ~~R⁹ to R¹³~~ each of R⁹,

R¹⁰, R¹¹, R¹², and R¹³ may be the same or different from one another and they each represent a hydrogen atom, a halogen atom, cyano group, hydroxyl group, a lower alkyl group, a lower alkoxy group, amino group or a lower alkylamino group or a lower acylated derivative of such a group, a lower dialkylamino group or a cycloalkylamino group, or R⁹ and R¹⁰ or R¹⁰ and R¹¹ together form $\text{-O(CH}_2\text{)}_n\text{-O(CH}_2\text{)}_n\text{-O-}$ group wherein $[[n]]$ n is 1, 2 or 3; L₁ represents CH₂, CHOH or O; L₂ represents CH₂, CHOH, CH₂-CH₂, CHOH-CH₂, CH₂-CH₂-CH₂ or CHOH-CH₂-CH₂; or L₁ and L₂ are bonded together to form CH₂, CHOH or CH=CH, Y and Z are bonded together to form CH₂-CH₂-CH₂ or CH₂-CH₂-CH₂-CH₂ or when Y and Z are not bonded together, Y represents a hydrogen atom and Z represents a lower alkyl group;


provided that when any of ~~R⁹ to R¹³~~ R⁹, R¹⁰, R¹¹, R¹², and R¹³ represents a cyclic amino group of the following formula [E], ~~R¹ to R⁸~~ each of R¹, R², R³, R⁴, R⁵, R⁶, R⁷, and R⁸ may be a halogen atom or hydrogen atom but when none of ~~R⁹ to R¹³~~ R⁹, R¹⁰, R¹¹, R¹², and R¹³ is a cyclic amino group of formula [E], one or two of ~~R¹ to R⁸~~ R¹, R², R³, R⁴, R⁵, R⁶, R⁷, and R⁸ represent a halogen atom and the others represent a hydrogen atom:



[E]


wherein n and m each represent 1 or 2, and W represents carbon atom, or nitrogen which may be substituted with a lower alkyl group, or oxygen, or sulfur atom.

Claim 27 (withdrawn-currently amended): An amide ~~Amide derivatives of general formulae formula~~ [XVI], ~~stereoisomers~~ a stereoisomer thereof, and ~~salts or a salt~~ thereof:



wherein rings G, J and K each represent benzene ring or a nitrogen-containing aromatic ring; ~~R¹ to R⁸~~ each of R¹, R², R³, R⁴, R⁵, R⁶, R⁷, and R⁸ may be the same or different from one another and they each represent a halogen atom or hydrogen atom, ~~R⁹ to R¹³~~ each of R⁹, R¹⁰, R¹¹, R¹², and R¹³ may be the same or different from one another and they each represent a hydrogen atom, a halogen atom, cyano group, hydroxyl group, a lower alkyl group, a lower alkoxy group, amino group or a lower alkylamino group or a lower acylated derivative of such a group, a lower dialkylamino group or a cycloalkylamino group, or R⁹ and R¹⁰ or R¹⁰ and R¹¹ together form ~~-O(CH₂)_nO-~~ -O(CH₂)_nO- group wherein [[n]] n is 1, 2 or 3; L₁ represents CH₂, CHOH or O; L₂ represents CH₂, CHOH, CH₂-CH₂, CHOH-CH₂, CH₂-CH₂-CH₂ or CHOH-CH₂-CH₂; or L₁ and L₂ are bonded together to form CH₂, CHOH or CH=CH,

Y and Z are bonded together to form CH₂-CH₂-CH₂ or CH₂-CH₂-CH₂-CH₂ or when Y and Z are not bonded together, Y represents a hydrogen atom and Z represents a lower alkyl group; provided that when any of ~~R⁹ to R¹³~~ R⁹, R¹⁰, R¹¹, R¹², and R¹³ represents a cyclic amino group of the following formula [E], ~~R¹ to R⁸~~ each of R¹, R², R³, R⁴, R⁵, R⁶, R⁷, and R⁸ may be a halogen atom or hydrogen atom but when none of ~~R⁹ to R¹³~~ each of R⁹, R¹⁰, R¹¹, R¹², and R¹³ is a cyclic amino group of formula [E], one or two of ~~R¹ to R⁸~~ R¹, R², R³, R⁴, R⁵, R⁶, R⁷, and R⁸ represent a halogen atom and the others represent a hydrogen atom:



[E]

wherein n and m each represent 1 or 2, and W represents carbon atom, or nitrogen which may be substituted with a lower alkyl group, or oxygen, or sulfur atom.

Claim 28 (withdrawn-currently amended): The 5,11-dihydrodiaryl[b,e][1,4]oxazepine ~~derivatives, stereoisomers~~ stereoisomer thereof, ~~and salts or salt~~ thereof according to claim 26, wherein ~~R¹ to R⁸~~ each of R¹, R², R³, R⁴, R⁵, R⁶, R⁷, and R⁸ may be the same or different from one another and they each represent fluorine atom, chlorine atom or a hydrogen atom, L₁-L₂ represents CH₂ or CH₂-CH₂, Y and Z are bonded together to form CH₂-CH₂-CH₂ or CH₂-CH₂-CH₂-CH₂.

Claim 29 (withdrawn-currently amended): The 5,11-dihydrodiaryl[b,e][1,4]oxazepine ~~derivatives, stereoisomers and salts~~ stereoisomer thereof, or salt thereof according to claim 28 wherein rings G, J and K are benzene rings.

Claim 30 (withdrawn-currently amended): The amide ~~derivatives, stereoisomers~~ stereoisomer thereof, and salts or salt thereof according to claim 27, wherein ~~R¹ to R⁸~~ each of R¹, R², R³, R⁴, R⁵, R⁶, R⁷, and R⁸ may be the same or different from one another and they each represent fluorine atom, chlorine atom or a hydrogen atom, L₁-L₂ represents CH₂ or CH₂-CH₂ and Y and Z are bonded together to form CH₂-CH₂-CH₂ or CH₂-CH₂-CH₂-CH₂.

Claim 31 (withdrawn-currently amended): The amide ~~derivatives, stereoisomers and salts~~ stereoisomer thereof, or salt thereof according to claim 30 wherein rings G, J and K are benzene rings.

Claim 32 (withdrawn-currently amended): The 5,11-dihydrodiaryl[b,e][1,4]oxazepine ~~derivatives, stereoisomers and salts~~ stereoisomer thereof, or salt thereof according to claim 29, wherein ~~R⁹ to R¹³~~ each of R⁹, R¹⁰, R¹¹, R¹², and R¹³ may be the same or different from one another and they each represent a hydrogen atom, amino group or a lower alkylamino group or a lower acylated derivative of such a group, a lower dialkylamino group or a cycloalkylamino group.

Claim 33 (withdrawn-currently amended): The amide ~~derivatives, stereoisomers and salts~~ stereoisomer thereof, or salt thereof according to claim 31, wherein ~~R⁹ to R¹³~~ each of R⁹, R¹⁰, R¹¹, R¹², and R¹³ may be the same or different from one another and they each

represent a hydrogen atom, amino group or a lower alkylamino group or a lower acylated derivative of such a group, a lower dialkylamino group or a cycloalkylamino group.

Claim 34 (withdrawn-currently amended): (R)-{[2-(3-Chloro-5,11-dihydrodibenzo[b,e][1,4]oxazepine-5-carbonyl)pyrrolidine]-1-yl}-2-(4-dimethylaminophenyl)ethanone, ~~and stereoisomers and salts~~ a stereoisomer thereof, or a salt thereof.

Claim 35 (withdrawn-currently amended): (R)-1-[(4-Dimethylaminophenyl)acetyl]pyrrolidine-2-carboxylic acid [2-(2-bromo-4-chlorobenzyloxy)phenyl]amide, ~~and stereoisomers and salts~~ a stereoisomer thereof, or a salt thereof.

Claim 36 (withdrawn-currently amended): (R)-{[2-(2-Fluoro-5,11-dihydrodibenzo[b,e][1,4]oxazepine-5-carbonyl)pyrrolidine]-1-yl}-2-(4-pyrrolidinophenyl)ethanone, ~~and stereoisomers and salts~~ a stereoisomer thereof, or a salt thereof.

Claim 37 (withdrawn-currently amended): (R)-1-[(4-Pyrrolidinophenyl)acetyl]pyrrolidine-2-carboxylic acid [2-(2-bromo-5-fluorobenzyloxy)phenyl]amide, ~~and stereoisomers and salts~~ a stereoisomer thereof, or a salt thereof.